



AA

036

From:

Shaik Cheman  
P.O.Box: 56565  
Riyadh - 11564  
Saudi Arabia

Assistant Commissioner for Patents  
Office of Initial Patent Examination  
Customer Services Center  
Washington, DC 20231

Sir,

Sub: Substitute specification in compliance with 37 CFR 1.52(b)  
Ref: Application No: 09/847,503

Please refer to your **notice to file corrected application papers** dated 06/29/2001. As per your instructions I am sending here with the substitute specification, claims and abstract printed in one and half line spacing.

Also attached here with is the copy of your notice to file corrected application papers. Please be informed that there are no corrections to the filing receipt. No drawings are enclosed as they are ok.

Sincerely

Shaik Cheman

Date: July 28, 2001  
Riyadh

Enclosures:

1. Copy of your notice to file corrected application papers
2. Photo copies of your acknowledgment receipt and notice for correction (4 pages)
3. Specification, claims and abstract. Total 31 pages



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/847,503	05/03/2001	Shaik Cheman	

CONFIRMATION NO. 7862

FORMALITIES LETTER



\*OC00000006244177\*

Shaik Cheman  
P.O. Box 56565  
Riyadh,  
SAUDI ARABIA

Date Mailed: 06/29/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- A substitute specification in compliance with 37 CFR 1.52 because:
  - Line spacing on the specification, claims, or abstract is not 1-1/2 or double spaced (See 37 CFR 1.52(b)).

*A copy of this notice MUST be returned with the reply.*

  
Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE